

Appendix D

NNL Metrics

Section 1 NNL Metric

		Habitat Biodiversity Value																										
Existing Habitats on site (Baseline)				NRA Ecological Valuation			Habitat Condition		Biodiversity Value (Baseline)	Habitat Retained during development			Habitat Lost			Habitat After Development			NRA Ecological Valuation		Target Habitat Condition		Time to Habitat Condition Target		Biodiversity Value (Baseline)			
Ten-T section	Fossitt Code	Mosaic	Length (km)	Area (ha)	NRA Valuation	Score	Condition	Score	Biodiversity Value	Length (km)	Area (ha)	Biodiversity Value	Length (km)	Area (ha)	Biodiversity Value	After work action	Fossitt Code	Length (km)	Area (ha)	NRA Valuation	Score	Condition	Score	Years	Multiplier	Biodiversity Value		
Habitat Area			A	B	C	D	E	F	G	H	I	J	K	L	M	N				O	P	Q	R	S	T	U	V	
Section 1	BC1 Arable crops	BC1	0	0.76	Local Importance (lower value)	1	Fairly poor	1.5	1.15	0.00	0.00	0.00	0.76	1.15	0.00	Created	BL3 Buildings and artificial surfaces	51.22		Local Importance (lower value)	0	Poor/degraded	1			1.00	0.00	
Section 1	BC2 Horticultural land	BC2	0	0.58	Local Importance (lower value)	1	Moderate	2	1.15	0.00	0.00	0.00	0.58	1.15	0.00	Created	meadows and grassy verges	21.10		Local Importance (lower value)	1	Fairly poor	1.5	5	0.84	26.50		
Section 1	BC2 Horticultural land	BC2/BL3	0	0.04	Local Importance (lower value)	1	Poor/degraded	1	0.04	0.00	0.00	0.00	0.04	0.04	0.00	Created	GS2 Dry	28.49		Local Importance (higher value)	2	Fairly Good	2.5	30	0.34	48.86		
Section 1	BL3 Buildings and artificial surfaces	BL3	0	12.20	Local Importance (lower value)	0	Poor/degraded	1	0.00	0.00	0.00	12.20	0.00	0.00	0.00	Created	W51 Scrub	5.60		Local Importance (lower value)	1	Moderate	2	5	0.84	9.37		
Section 1	ED3 Recolonising bare ground	BL3/ED3	0	0.35	Local Importance (lower value)	1	Poor/degraded	1	0.35	0.00	0.00	0.35	0.35	0.00	0.00	Created	GS4 Wet grassland	11.56		Local Importance (lower value)	1	Moderate	2	10	0.70	16.16		
Section 1	GA2 Amenity grassland (improved)	BL3/GA2	0	3.35	Local Importance (lower value)	1	Fairly poor	1.5	5.02	0.00	0.00	3.35	5.02	0.00	0.00	Restored	WD1 (Mixed) broadleaved woodland	0.17		Local Importance (higher value)	2	Fairly Good	2.5	20	0.49	28.32		
Section 1	WS1 Scrub	BL3/WS1	0	0.00	Local Importance (lower value)	1	Fairly poor	1.5	0.01	0.00	0.00	0.00	0.00	0.00	0.00	Created	GS2 Dry meadows and grassy verges	56.62		Local Importance (higher value)	2	Fairly Good	2.5	10	0.70	198.18		
Section 1	ED3 Recolonising bare ground	ED2/ED3	0	0.23	Local Importance (lower value)	1	Fairly poor	1.5	0.35	0.00	0.00	0.23	0.35	0.00	0.00	Restored	GS4 Wet grassland	13.49		Local Importance (lower value)	1	Fairly Good	2.5	5	0.84	28.23		
Section 1	ED3 Recolonising bare ground	ED3	0	0.17	Local Importance (lower value)	1	Fairly poor	1.5	0.26	0.00	0.00	0.17	0.26	0.00	0.00	Created	GS4 Wet grassland	8.92		Local Importance (lower value)	1	Fairly Good	2.5	10	0.70	15.61		
Section 1	ED5 Refuse and other waste	ED5	0	0.18	Local Importance (lower value)	0	Poor/degraded	1	0.00	0.00	0.00	0.18	0.00	0.00	0.00	Created	GA2 Amenity grassland (improved)	1.11		Local Importance (lower value)	1	Fairly poor	1.5	2	0.93	1.54		
Section 1	GA1 Improved agricultural grassland	GA1	0	100.70	Local Importance (lower value)	1	Fairly poor	1.5	151.05	0.00	0.00	100.70	151.05	0.00	0.00	Created	GA1 Improved agricultural grassland	100.70		Local Importance (lower value)	1	Fairly poor	1.5	2	0.93	2.39		
Section 1	GA2 Amenity grassland (improved)	GA1/GA2	0	0.62	Local Importance (lower value)	1	Poor/degraded	1	0.62	0.00	0.00	0.62	0.62	0.00	0.00	Restored	WNS Riparian woodland	0.10		County Importance	3	Fairly Good	2.5	20	0.49	0.38		
Section 1	GS2 Dry meadows and grassy verges	GA1/GS2	0	12.05	Local Importance (lower value)	1	Fairly poor	1.5	18.08	0.00	0.00	12.05	18.08	0.00	0.00	Created	WD1 (Mixed) broadleaved woodland	17.68		Local Importance (higher value)	2	Moderate	2	30	0.34	24.25		
Section 1	GS4 Wet grassland	GA1/GS4	0	8.70	Local Importance (lower value)	1	Moderate	2	17.39	0.00	0.00	8.70	17.39	0.00	0.00	Created									1.00	0.00		
Section 1	GA2 Amenity grassland (improved)	GA2	0	0.61	Local Importance (lower value)	1	Fairly poor	1.5	0.92	0.00	0.00	0.61	0.92	0.00	0.00	Created										1.00	0.00	
Section 1	GA2 Amenity grassland (improved)	GA2/WL2	0	0.00	Local Importance (higher value)	2	Moderate	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Created										1.00	0.00	
Section 1	GS2 Dry meadows and grassy verges	GS2	0	0.12	Local Importance (lower value)	1	Moderate	2	0.23	0.00	0.00	0.12	0.23	0.00	0.00	Created											1.00	0.00
Section 1	GS4 Wet grassland	GS2/GS4	0	4.52	Local Importance (lower value)	1	Moderate	2	9.03	0.00	0.00	4.52	9.03	0.00	0.00	Created											1.00	0.00
Section 1	GS4 Wet grassland	GS4	0	47.95	Local Importance (lower value)	1	Moderate	2	95.91	0.00	0.00	47.95	95.91	0.00	0.00	Created											1.00	0.00
Section 1	WS1 Scrub	GS4/WS1	0	4.69	Local Importance (lower value)	1	Fairly poor	1.5	7.04	0.00	0.00	4.69	7.04	0.00	0.00	Created											1.00	0.00
Section 1	HH3 Wet heath	HH3	0	0.21	Local Importance (higher value)	2	Poor/degraded	1	0.41	0.11	0.22	0.10	0.20	0.00	0.00	Created											1.00	0.00
Section 1	WD1 (Mixed) broadleaved woodland	WD1	0	2.98	Local Importance (higher value)	2	Moderate	2	11.91	0.98	3.93	2.00	7.98	0.00	0.00	Created											1.00	0.00
Section 1	WD1 (Mixed) broadleaved woodland	WD1/WS1	0	0.10	Local Importance (higher value)	2	Moderate	2	0.41	0.00	0.00	0.10	0.41	0.00	0.00	Created											1.00	0.00
Section 1	WD1 (Mixed) broadleaved woodland	WD1/WS2	0	1.36	Local Importance (higher value)	2	Moderate	2	5.45	0.00	0.00	1.36	5.45	0.00	0.00	Created											1.00	0.00
Section 1	WD2 Mixed broadleaved/conifer woodland	WD2	0	3.19	Local Importance (higher value)	2	Moderate	2	12.75	0.69	2.74	2.50	10.01	0.00	0.00	Created											1.00	0.00
Section 1	WD3 (Mixed) conifer woodland	WD3	0	0.66	Local Importance (lower value)	1	Moderate	2	1.31	0.00	0.00	0.66	1.31	0.00	0.00	Created											1.00	0.00
Section 1	WD4 Conifer plantation	WD4	0	7.38	Local Importance (lower value)	1	Poor/degraded	1	7.38	1.62	1.62	5.76	5.76	0.00	0.00	Created											1.00	0.00
Section 1	WD4 Conifer plantation	WD4/WS5	0	0.01	Local Importance (lower value)	1	Poor/degraded	1	0.01	0.00	0.00	0.01	0.01	0.00	0.00	Created											1.00	0.00
Section 1	WL2 Treelines	WL2	0	0.43	Local Importance (higher value)	2	Moderate	2	1.71	0.00	0.00	0.43	1.71	0.00	0.00	Created											1.00	0.00
Section 1	WN1 Oak-birch-holly woodland	WN1	0	0.03	County Importance	3	Fairly Good	2.5	0.24	0.00	0.00	0.03	0.24	0.00	0.00	Created											1.00	0.00
Section 1	WN4 Wet pedunculate oak-ash woodland	WN4	0	0.36	County Importance	3	Fairly Good	2.5	2.69	0.09	0.66	0.00	2.02	0.00	0.00	Created											1.00	0.00
Section 1	WNS Riparian woodland	WNS	0	0.17	County Importance	3	Moderate	2	1.04	0.10	0.58	0.00	0.46	0.00	0.00	Created											1.00	0.00
Section 1	WN6 Wet willow-alder-ash woodland	WN6	0	1.69	Local Importance (higher value)	2	Moderate	2	6.75	0.23	0.91	1.00	5.83	0.00	0.00	Created											1.00	0.00
Section 1	WS1 Scrub	WS1	0	4.83	Local Importance (lower value)	1	Moderate	2	9.66	0.46	0.93	0.00	8.73	0.00	0.00	Created											1.00	0.00
Section 1	FW1 Eroding/upland rivers	FW 1 Eroding	0	0.54	National Importance	4	Moderate	2	4.33	0.26	2.08	0.00	2.25	0.00	0.00	Created											1.00	0.00
Section 1	WS2 Immature woodland	WS2	0	0.54	Local Importance (lower value)	1	Moderate	2	1.08	0.00	0.00	0.54	1.08	0.00	0.00	Created											1.00	0.00
Total			0	222.30					376.73	0	4.63	13.68	0.00	217.77	362.05													399.82
Ten-T section	Fossitt Code	Mosaic	Length (km)	Area (ha)	NRA Valuation	Score	Condition	Score	Biodiversity Value	Length (km)	Area (ha)	Biodiversity Value	Length (km)	Area (ha)	Biodiversity Value													
Habitat Length			A	B	C	D	E	F	G	H	I	J	K	L	M	N												
Section 1	BL1 Stone walls and other stonework	BL1	0.27				Poor/degraded	1	0.02	0.00	0.00	0.02	0.00	0.00	0.00	Created	WL1 Hedgerows	45.70		Local Importance (higher value)	2	Moderate	2	20	0.49	89.58		
Section 1	FW1 Eroding/upland rivers	FW1	3.37				Moderate	2	27.00	2.88	23.07	0.49	3.92	0.00	0.00	Created	FW1 Eroding/upland rivers	4.23		County Importance	3	Moderate	2	10	0.70	17.78		
Section 1	FW4 Drainage ditches	FW4	2.22				Moderate	2	4.44	0.94	1.89	1.28	2.55	0.00	0.00	Created	FW4 Drainage ditches	3.23		Local Importance (lower value)	1	Fairly poor	1.5	5	0.84	4.06		
Section 1	WL1 Hedgerows	WL1	11.59				Moderate	2	46.36	2.53	10.12	9.06	36.24	0.00	0.00	Created											1.00	0.00
Section 1	FW4 Drainage ditches	WL1/FW4	0.09				Moderate	2	0.17	0.01	0.01	0.08	0.16	0.00	0.00	Created											1.00	0.00
Section 1	WL1 Hedgerows	WL1/FW4	0.09				Moderate	2	0.34	0.01	0.02	0.08	0.32	0.00	0.00	Created											1.00	0.00
Section 1	WL1 Hedgerows	WL1/WL2	0.18				Moderate	2	0.70	0.01	0.06	0.16	0.65	0.00	0.00	Created											1.00	0.00
Section 1	WL2 Treelines	WL2	11.18				Moderate	2	44.70	1.30	5.20	9.88	39.50	0.00	0.00	Created											1.00	0.00
Section 1	WL2 Treelines	WL2/FW4	0.41				Moderate	2	1.64	0.00	0.00	0.41	1.64	0.00	0.00	Created											1.00	0.00
Section 1	FW4 Drainage ditches	WL2/FW4	0.41				Moderate	2	0.82	0.00	0.00	0.41	0.82	0.00	0.00	Created											1.00	0.00
Total																												

Section 2 NNL Metric

Section 3 NNL Metric

		Habitat Biodiversity Value																									
Existing Habitats on site (Baseline)				NRA Ecological Valuation		Habitat Condition		Biodiversity Value (Baseline)	Habitat Retained during development			Habitat Lost			Habitat After Development				NRA Ecological Valuation		Target Habitat Condition		Biodiversity Value (Baseline)				
Ten-T section	Fossitt Code	Mosaic	Length (km)	Area (ha)	NRA Valuation	Score	Condition	Score	Biodiversity Value	Length (km)	Area (ha)	Biodiversity Value	Length (km)	Area (ha)	Biodiversity Value	After work action	Fossitt Code	Length (km)	Area (ha)	NRA Valuation	Score	Condition	Score	Years	Multiplier	Biodiversity Value	
Habitat Area			A			B		C	A x B x C = D	E		B x C x E = F	H		B x C x H = I			J		K		L	M		J x K x L x M = N		
Section 3	GA1 Improved agricultural grassland		0	209.61	Local Importance (lower value)	1	Moderate	2	419.21	0.00		0.00	0	209.61	419.21	Created	BL3 Buildings and artificial surfaces		68.53			0			1.00	0.00	
Section 3	BC1 Arable crops		0	35.41	Local Importance (lower value)	1	Moderate	2	70.81	0.00		0.00	0	35.41	70.81	Created	GS2 Dry meadows and grassy verges		124.38	Local Importance (higher value)	2	Fairly Good	2.5	10	0.70	435.32	
Section 3	BL3 Buildings and artificial surfaces		0	24.45		0	Poor/degraded	1	0.00	0.00		0.00	0	24.45	0.00	Created	GS2 Dry meadows and grassy verges		28.35	Local Importance (lower value)	1	Fairly poor	1.5	5	0.84	35.60	
Section 3	GS4 Wet grassland		0	9.16	Local Importance (lower value)	1	Moderate	2	18.32	0.22		0.45	0	8.93	17.87	Created	WD1 (Mixed) broadleaved woodland		31.78	Local Importance (higher value)	2	Fairly Good	2.5	30	0.34	54.50	
Section 3	WS2 Immature woodland		0	5.84	Local Importance (lower value)	1	Moderate	2	11.69	1.19		2.39	0	4.65	9.30	Created	GS4 Wet grassland		7.56	Local Importance (lower value)	1	Fairly poor	1.5	10	0.70	7.93	
Section 3	WD4 Conifer plantation		0	5.34	Local Importance (lower value)	1	Moderate	2	10.68	0.04		0.08	0	5.30	10.60	Created	GA1 Improved agricultural grassland		3.35	Local Importance (lower value)	1	Fairly poor	1.5	2	0.93	4.67	
Section 3	GS2 Dry meadows and grassy verges		0	5.28	Local Importance (higher value)	2	Moderate	2	21.10	2.69		10.77	0	2.58	10.34	Created	GA2 Amenity grassland (improved)		1.26	Local Importance (lower value)	1	Fairly poor	1.5	2	0.93	1.76	
Section 3	WD1 (Mixed) broadleaved woodland		0	2.32	Local Importance (higher value)	2	Moderate	2	9.29	1.07		4.28	0	1.25	5.02	Created	GS4 Wet grassland		8.73	Local Importance (lower value)	1	Moderate	2	10	0.70	12.23	
Section 3	WN2 Oak-ash-hazel woodland		0	2.31	Local Importance (higher value)	2	Moderate	2	9.25	0.97		3.86	0	1.35	5.39	Restored	GS2 Dry meadows and grassy verges		0.06	Local Importance (higher value)	2	Fairly Good	2.5	5	0.84	0.25	
Section 3	FS2 Tall herb swamps		0	1.86	Local Importance (higher value)	2	Moderate	2	7.44	1.19		4.77	0	0.67	2.67	Created	WS1 Scrub		4.20	Local Importance (lower value)	1	Fairly Good	2.5	5	0.84	8.80	
Section 3	WN6 Wet willow-alder-ash woodland		0	1.48	Local Importance (lower value)	1	Moderate	2	2.96	0.56		1.12	0	0.92	1.84	Created	WD1 (Mixed) broadleaved woodland		11.23	Local Importance (higher value)	2	Fairly poor	1.5	30	0.34	11.56	
Section 3	WS1 Scrub		0	1.36	Local Importance (lower value)	1	Moderate	2	2.72	0.36		0.72	0	1.00	1.99	Created	WN5 Riparian woodland		0.51	County Importance	3	Fairly Good	2.5	15	0.59	2.25	
Section 3	GS1 Dry calcareous and neutral grassland		0	0.36	Local Importance (lower value)	1	Moderate	2	0.73	0.00		0.00	0	0.36	0.73	Restored	GS4 Wet grassland		6.28	Local Importance (higher value)	2	Fairly Good	2.5	5	0.84	26.27	
Section 3	WN5 Riparian woodland		0	0.61	County Importance	3	Moderate	2	3.68	0.33		0.97	0	0.28	1.67	Created	GS1 Dry calcareous and neutral grassland		0.83	Local Importance (higher value)	2	Fairly Good	2.5	10	0.70	2.89	
Section 3	FW2 Depositing/lowland rivers		0	0.78	County Importance	3	Moderate	2	4.68	0.78		4.68	0	0.00	0.00	Created									1.00	0.00	
Section 3	ED2 Spoil and bare ground		0	0.10		0	Poor/degraded	1	0.00	0.00		0.00	0	0.10	0.00											1.00	0.00
Section 3	WD2 Mixed broadleaved/conifer woodland		0	0.07	Local Importance (higher value)	2	Moderate	2	0.30	0.00		0.00	0	0.07	0.30											1.00	0.00
Section 3	CW2 Tidal rivers		0	0.00	County Importance	3	Moderate	2	0.02	0.00		0.02	0	0.00	0.00											1.00	0.00
Section 3	ED5 Refuse and other waste		0	0.11		0	Poor/degraded	1	0.00	0.00		0.00	0	0.11	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00	0.00											1.00	0.00
			0	0.00		0			0.00	0.00		0.00	0	0.00													

Combined NNL Metric

Habitat Biodiversity Value																													
Existing Habitats on site (Baseline)				NRA Ecological Valuation		Habitat Condition		Biodiversity Value (Baseline)		Habitat Retained during development				Habitat Lost				Habitat After Development				NRA Ecological Valuation		Target Habitat Condition		Time to Habitat Condition Target		Biodiversity Value (Baseline)	
Ten-T section	Fossitt Code	Mosaic	Length (km)	Area (ha)	NRA Valuation	Score	Condition	Score	Biodiversity Value	Length (km)	Area (ha)	Biodiversity Value	Length (km)	Area (ha)	Biodiversity Value	After work action	Fossitt Code	Length (km)	Area (ha)	NRA Valuation	Score	Condition	Score	Years	Multiplier	Biodiversity Value			
Habitat Area			A	B		C		D	A x B x C = D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V		
Section 1	BC1 Arable crops	BC1	0	0.76	Local Importance (lower value)	1	Fairly poor	1.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Created	BL3 Buildings and artificial surfaces	0.5122	0	Poor/degraded	1	1.00	1.00	1.00	0.00				
Section 1	BC2 Horticultural land	BC2	0	0.58	Local Importance (lower value)	1	Moderate	2	1.15	0.00	0.00	0.00	0.58	1.15	0.00	Created	GS2 Dry meadows and grassy verges	21.10	Local Importance (lower value)	1	Fairly poor	1.50	5.00	0.84	26.50				
Section 1	BC2 Horticultural land	BC2/BL3	0	0.04	Local Importance (lower value)	1	Poor/degraded	1	0.04	0.00	0.00	0.04	0.04	0.04	0.00	Created	WD1 (Mixed) broadleaved woodland	28.49	Local Importance (higher value)	2	Fairly Good	2.50	30.00	0.34	48.86				
Section 1	BL3 Buildings and artificial surfaces	BL3	0	12.20	Local Importance (lower value)	0	Poor/degraded	1	0.00	0.00	0.00	12.20	0.00	0.00	0.00	Created	W51 Scrub	5.60	Local Importance (lower value)	1	Moderate	2.00	5.00	0.84	9.37				
Section 1	ED3 Recolonising bare ground	BL3/ED3	0	0.35	Local Importance (lower value)	1	Poor/degraded	1	0.35	0.00	0.00	0.35	0.35	0.35	0.00	Created	GS4 Wet grassland	11.56	Local Importance (lower value)	1	Moderate	2.00	10.00	0.70	16.19				
Section 1	GA2 Amenity grassland (improved)	BL3/GA2	0	3.35	Local Importance (lower value)	1	Fairly poor	1.5	5.02	0.00	0.00	3.35	5.02	0.00	Restored	WD1 (Mixed) broadleaved woodland	0.17	Local Importance (higher value)	2	Fairly Good	2.50	20.00	0.49	28.32					
Section 1	W51 Scrub	BL3/W51	0	0.00	Local Importance (lower value)	1	Fairly poor	1.5	0.01	0.00	0.00	0.00	0.00	0.00	Created	GS2 Dry meadows and grassy verges	56.62	Local Importance (higher value)	2	Fairly Good	2.50	10.00	0.70	198.18					
Section 1	ED3 Recolonising bare ground	ED2/ED3	0	0.23	Local Importance (lower value)	1	Fairly poor	1.5	0.35	0.00	0.00	0.23	0.35	0.00	Restored	GS4 Wet grassland	13.49	Local Importance (lower value)	1	Fairly Good	2.50	5.00	0.84	28.23					
Section 1	ED3 Recolonising bare ground	ED3	0	0.17	Local Importance (lower value)	1	Fairly poor	1.5	0.26	0.00	0.00	0.17	0.26	0.00	Created	GS4 Wet grassland	8.92	Local Importance (lower value)	1	Fairly Good	2.50	10.00	0.70	15.61					
Section 1	ED5 Refuse and other waste	ED5	0	0.18	Local Importance (lower value)	0	Poor/degraded	1	0.00	0.00	0.00	0.00	0.18	0.00	0.00	Created	GA2 Amenity grassland (improved)	1.11	Local Importance (lower value)	1	Fairly poor	1.50	2.00	0.93	1.54				
Section 1	GA1 Improved agricultural grassland	GA1	0	100.70	Local Importance (lower value)	1	Fairly poor	1.5	151.05	0.00	0.00	100.70	151.05	0.00	Created	GA1 Improved agricultural grassland	1.71	Local Importance (lower value)	1	Fairly poor	1.50	2.00	0.93	2.39					
Section 1	GA2 Amenity grassland (improved)	GA1/GA2	0	0.62	Local Importance (lower value)	1	Poor/degraded	1	0.62	0.00	0.00	0.62	0.62	0.00	Restored	WNS Riparian woodland	0.10	County Importance	3	Fairly Good	2.50	20.00	0.49	0.38					
Section 1	GS2 Dry meadows and grassy verges	GA1/GS2	0	12.05	Local Importance (lower value)	1	Fairly poor	1.5	18.08	0.00	0.00	12.05	18.08	0.00	Created	WD1 (Mixed) broadleaved woodland	17.68	Local Importance (higher value)	2	Moderate	2.00	30.00	0.34	24.25					
Section 1	GS4 Wet grassland	GA1/GS4	0	8.70	Local Importance (lower value)	1	Moderate	2	17.39	0.00	0.00	8.70	17.39	0.00															
Section 1	GA2 Amenity grassland (improved)	GA2	0	0.61	Local Importance (lower value)	1	Fairly poor	1.5	0.92	0.00	0.00	0.61	0.92	0.00															
Section 1	GA2 Amenity grassland (improved)	GA2/WL2	0	0.00	Local Importance (higher value)	2	Moderate	2	0.00	0.00	0.00	0.00	0.00	0.00															
Section 1	GS2 Dry meadows and grassy verges	GS2	0	0.52	Local Importance (lower value)	1	Moderate	2	0.23	0.00	0.00	0.12	0.23	0.00															
Section 1	GS4 Wet grassland	GS2/GS4	0	4.52	Local Importance (lower value)	1	Moderate	2	9.03	0.00	0.00	4.52	9.03	0.00															
Section 1	GS4 Wet grassland	GS4	0	47.95	Local Importance (lower value)	1	Moderate	2	95.91	0.00	0.00	47.95	95.91	0.00															
Section 1	W51 Scrub	GS4/W51	0	4.69	Local Importance (lower value)	1	Fairly poor	1.5	7.04	0.00	0.00	4.69	7.04	0.00															
Section 1	HH3 Wet heath	HH3	0	0.21	Local Importance (higher value)	2	Poor/degraded	1	0.21	0.11	0.11	0.22	0.10	0.20	0.00														
Section 1	WD1 (Mixed) broadleaved woodland	WD1	0	2.98	Local Importance (higher value)	2	Moderate	2	11.91	0.98	3.93	2.00	7.98	0.00															
Section 1	WD1 (Mixed) broadleaved woodland	WD1/W51	0	0.10	Local Importance (higher value)	2	Moderate	2	0.41	0.00	0.00	0.10	0.41	0.00															
Section 1	WD1 (Mixed) broadleaved woodland	WD1/W52	0	1.36	Local Importance (higher value)	2	Moderate	2	5.45	0.00	0.00	1.36	5.45	0.00															
Section 1	WD2 Mixed broadleaved/conifer woodland	WD2	0	3.19	Local Importance (higher value)	2	Moderate	2	12.75	0.69	2.74	2.50	10.01	0.00															
Section 1	WD3 (Mixed) conifer woodland	WD3	0	0.66	Local Importance (lower value)	1	Moderate	2	1.31	0.00	0.00	0.66	1.31	0.00															
Section 1	WD4 Conifer plantation	WD4	0	7.38	Local Importance (lower value)	1	Poor/degraded	1	7.38	1.62	1.62	5.76	5.76	0.00															
Section 1	WD4 Conifer plantation	WD4/W55	0	0.01	Local Importance (lower value)	1	Poor/degraded	1	0.01	0.00	0.00	0.01	0.01	0.00															
Section 1	WL2 Treelines	WL2	0	0.43	Local Importance (higher value)	2	Moderate	2	1.71	0.00	0.00	0.43	1.71	0.00															
Section 1	WN1 Oak-birch/holly woodland	WN1	0	0.03	County Importance	3	Fairly Good	2.5	0.24	0.00	0.00	0.03	0.24	0.00															
Section 1	WN4 Wet pedunculate oak-ash woodland	WN4	0	0.36	County Importance	3	Fairly Good	2.5	2.69	0.09	0.66	0.27	2.02	0.00															
Section 1	WNS Riparian woodland	WNS	0	0.17	County Importance	3	Moderate	2	1.04	0.10	0.98	0.08	0.46	0.00															
Section 1	WNB Wet willow-alder-ash woodland	WNB	0	1.69	Local Importance (higher value)	2	Moderate	2	6.75	1.46	1.46	5.80	5.80	0.00															
Section 1	W51 Scrub	W51	0	4.83	Local Importance (lower value)	1	Moderate	2	9.66	0.23	0.96	4.36	8.73	0.00															
Section 1	FW 1 Eroding/upland rivers	FW 1 Eroding	0	0.54	National Importance	4	Moderate	2	4.33	0.26	2.08	0.28	2.25	0.00															
Section 1	WS2 Immature woodland	WS2	0	0.54	Local Importance (lower value)	1	Moderate	2	1.08	0.00	0.00	0.54	1.08	0.00															
Section 2	BC3 Filled land	BC3	0	1.08	Local Importance (lower value)	1	Poor/degraded	1	1.08	0.00	0.00	1.08	1.08	0.00															
Section 2	BL3 Buildings and artificial surfaces	BL3	0	33.71	Local Importance (lower value)	0	Poor/degraded	1	0.00	0.00	0.00	33.71	0.00	0.00	0.00														
Section 2	GA2 Amenity grassland (improved)	BL3/GA2	0	0.86	Local Importance (lower value)	1	Poor/degraded	1	0.86	0.86	0.86	0.86	0.86	0.00															
Section 2	ED3 Recolonising bare ground	ED3	0	0.19	Local Importance (lower value)	1	Moderate	2	0.37	0.00	0.00	0.19	0.37	0.00															
Section 2	W51 Scrub	ED3/W51	0	2.36	Local Importance (lower value)	1	Moderate	2	4.71	0.00	0.00	2.36	4.71	0.00															
Section 2	GA1 Improved agricultural grassland	GA1	0	64.45	Local Importance (lower value)	1	Moderate	2	128.89	0.00	0.00	64.45	128.82	0.00															
Section 2	GS2 Dry meadows and grassy verges	GA1/GS2	0	3.92	Local Importance (lower value)	1	Moderate	2	7.84	0.00	0.00	3.92	7.84	0.00															
Section 2	GS4 Wet grassland	GA1/GS4	0	1.18	Local Importance (lower value)	1	Moderate	2	2.35	0.00	0.00	1.18	2.35	0.00															
Section 2	GA2 Amenity grassland (improved)	GA2	0	0.55	Local Importance (lower value)	1	Moderate	2	1.10	0.00	0.00	0.55	1.10	0.00															
Section 2	GS2 Dry meadows and grassy verges	GS2	0	4.47	Local Importance (lower value)	1	Moderate	2	8.93	2.09	4.77	2.38	4.76	0.00															
Section 2	GS2 Dry meadows and grassy verges	GS2/W51	0	2.10	Local Importance (lower value)	1	Moderate	2	4.20	0.00	0.00	2.10	4.20	0.00															
Section 2	GS2 Dry meadows and grassy verges	GS2/W53	0	0.19	Local Importance (lower value)	1	Moderate	2	0.37	0.00	0.00	0.19	0.36	0.00															
Section 2	GS4 Wet grassland	GS4	0	6.93	Local Importance (lower value)	1	Moderate	2	13.86	1.32	2.64	5.61	11.22	0.00															
Section 2	GS4 Wet grassland	GS4/W51	0	17.58	Local Importance (lower value)	1	Moderate	2	35.16	0.00	0.00	17.58	35.16	0.00															
Section 2	WS2 Immature woodland	GS4/WS2	0	1.70	Local Importance (lower value)	1	Moderate	2	3.40	0.12	0.24	1.58	3.17	0.00															
Section 2	WD1 (Mixed) broadleaved woodland	WD1	0	0.58	Local Importance (higher value)	2	Moderate	2	2.32	4.61	4.61	18.42	19.98	0.00															
Section 2	WD1 (Mixed) broadleaved woodland	WD1/W51	0	3.39	Local Importance																								